

2019 PRODUCT CATALOG



www.tigerfoam.com

1.800.664.0063



CONTENTS

Fast Rise E84 Insulation Kits	3
Slow Rise Insulation Kits	5
Quick Cure Insulation Kits	7
Open Cell Insulation Kits	9
Foam Sealants & Accessories	10
Insulated Light Covers	14
Application Accessories	15
Safety Accessories	16

EVERY PRO KNOWS, NOTHING STOPS ENERGY LOSS BETTER THAN SPRAY FOAM INSULATION. WITH THE HIGHEST R-VALUE IN THE INDUSTRY, **TIGER FOAM™ HAS YOU COVERED.**

For nearly 20 years Tiger Foam™ has been one of the country's premier manufacturers and distributors of spray foam insulation solutions.

We offer contractor direct, wholesale pricing and personal, expert customer service that can't be beat.


  To learn more about our complete line of spray foam insulation solutions, call 1-800-664-0063 or visit us online at www.tigerfoam.com.

Put our products to work on your next insulation project.



Our spray foam products offer unprecedented performance, with the industry's highest R-value per inch.

Closed-Cell Spray Foam





Tiger Foam™ E-84 Fast Rise Formula TF200FR - 200 Board Foot Spray Foam Insulation Kit

Price: \$315.00 Ea.

Our most popular formula, this closed cell, fast rise foam is designed for new construction and application to open surfaces. Unlike many of our competitors, this kit comes ready to spray with a 9.5 ft. Gun/Hose Assembly, 3 Fan & 5 Cone Nozzle Tips, and kit preparation instructions.

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- ASTM E-84 Class 1 Building Material.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit theoretically yields 200 board feet (1 square foot at 1 inch thick) or 16 cu. ft. The shipping weight per kit is approx 40lbs. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

Tiger Foam E-84 Class 1 Fire-Rated foam insulation is a multipurpose, two-part, closed-cell polyurethane formula specifically manufactured for fire retardancy.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable. They are completely self-contained to provide flexibility in end use performance.

Tiger Foam E84 Fire-Rated SPF Class 1 Spray Foam can assist in attaining LEED and/ or ENERGY STAR® Certification.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ E-84 Fast Rise Formula TF600FR - 600 Board Foot Spray Foam Insulation Kit



Price: From only \$585 or less!

This product features bulk pricing tiers:

Single Kit Price	\$585
2 Kits	\$575 ea.
5 Kits	\$565 ea.
9 Kits	\$560 ea.
12 or more Kits	\$550 ea.

Tiger Foam E-84 Class 1 Fire-Rated foam insulation is a multipurpose, two-part, closed-cell polyurethane formula specifically manufactured for fire retardancy.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable. They are completely self-contained to provide flexibility in end use performance.

Tiger Foam E84 Fire-Rated SPF Class 1 Spray Foam can assist in attaining LEED and/ or ENERGY STAR® Certification.

Our most popular formula, this closed cell, fast rise foam is designed for new construction and application to open surfaces. Unlike many of our competitors, this kit comes ready to spray with a 15 ft Gun/Hose Assembly, 3 Fan & 5 Cone Nozzle Tips, and kit preparation instructions.

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- ASTM E-84 Class 1 Building Material.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit theoretically yields 200 board feet (1 square foot at 1 inch thick) or 16 cu. ft. The shipping weight per kit is approx 40lbs. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam Slow Rise can be dispensed into a dry cavity to insulate, fill, and seal various size voids, provide buoyancy, dampen sound, or reduce vibration. It is specifically designed to spray into molds or cavities and formulated not to damage drywall.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable.

Meets or exceeds the Coast Guard specification requirements for flotation in Title 33 code of the Federal Regulations, paragraph 183.114 and meets the requirements of DIN 4102-1 for a B2 building material.

Tiger Foam™ Slow Rise Formula TF200SR - 200 Board Foot Spray Foam Insulation Kit

Price: \$325.00 Ea.

Our most versatile foam, slow rise formula is designed to completely fill cavities without harming existing walls. Simply drill and fill behind the drywall or plaster – ideal for retrofitting older homes and buildings. It can also be poured into place for ditch or mold released applications. Unlike many of our competitors, this kit comes ready to spray with a 9.5 ft Gun/Hose Assembly, 8 Cone Nozzle Tips, and kit preparation instructions.

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit theoretically yields 162.5 board feet (square foot at 1) or 13 cu. ft.. The shipping weight per kit is approx 40lbs. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam Slow Rise can be dispensed into a dry cavity to insulate, fill, and seal various size voids, provide buoyancy, dampen sound, or reduce vibration. It is specifically designed to spray into molds or cavities and formulated not to damage drywall.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable.

Meets or exceeds the Coast Guard specification requirements for flotation in Title 33 code of the Federal Regulations, paragraph 183.114 and meets the requirements of DIN 4102-1 for a B2 building material.

Tiger Foam™ Slow Rise Formula TF600SR - 600 Board Foot Spray Foam Insulation Kit



Price: From only \$615 or less!
This product features bulk pricing tiers:

Single Kit Price	\$615
2 Kits	\$595 ea.
5 Kits	\$575 ea.
9 Kits	\$565 ea.
12 or more Kits	\$550 ea.

Our most versatile foam, slow rise formula is designed to completely fill cavities without harming existing walls. Simply drill and fill behind the drywall or plaster – ideal for retrofitting older homes and buildings. It can also be poured into place for ditch or mold released applications. Unlike many of our competitors, this kit comes ready to spray with a 15 ft Gun/Hose Assembly, 10 Cone Nozzle Tips, and kit preparation instructions.

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit theoretically yields 516 board feet (square foot at 1") or 43 cu. ft. The shipping weight per kit is approx. 120lbs and each kit ships in two boxes. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ Quick Cure Formula TF205 - 200 Board Foot Spray Foam Insulation Kit

Price: \$270.00 Ea.

Our Quick Cure formula is a lower cost alternative to the E-84 Fast Rise Foam. This closed cell foam is a class 2 rated building material and is an economical choice for any project where the higher rated foam is not needed. Unlike many of our competitors, this kit comes ready to spray with a 9.5 ft Gun/Hose Assembly, 3 Fan & 5 Cone Nozzle Tips, and kit preparation instructions..

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- Class 2 Building Material.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit theoretically yields 200 board feet (1 square foot at 1 inch thick) or 16 cu. ft. The shipping weight per kit is approx 40lbs. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

Tiger Foam Quick Cure foam insulation is a multipurpose, two-part, closed-cell polyurethane formula. The packaging, delivery system, and components were designed to be user- and environmentally friendly.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable. They are completely self-contained to provide flexibility in end use performance.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam Quick Cure foam insulation is a multipurpose, two-part, closed-cell polyurethane formula. The packaging, delivery system, and components were designed to be user- and environmentally friendly.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable. They are completely self-contained to provide flexibility in end use performance.

Tiger Foam™ Quick Cure Formula TF605 - 600 Board Foot Spray Foam Insulation Kit



Price: From only \$559 or less!
This product features bulk pricing tiers:

Single Kit Price	\$559
2 Kits	\$545 ea.
5 Kits	\$535 ea.
9 Kits	\$525 ea.

Our Quick Cure formula is a lower cost alternative to the E-84 Fast Rise Foam. This closed cell foam is a class 2 rated building material and is an economical choice for any project where the higher rated foam is not needed. Unlike many of our competitors, this kit comes ready to spray with a 15 ft Gun/Hose Assembly, 3 Fan & 5 Cone Nozzle Tips, and kit preparation instructions..

Key features:

- The highest R-Value in the industry at nearly R-7 per inch.
- Class 2 Building Material.
- Impervious to Mold and Moisture.
- Completely seals out unwanted air leaks.
- Protects against dust, air infiltration, pests, and sound.
- Ready-to-use, disposable and recyclable.

This kit has a theoretical yield of 600 board feet (square foot at 1) or 50 cu. ft. The shipping weight per kit is approx. 120lbs and each kit ships in two boxes. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ Open Cell Formula TF1350 - 1350 Board Foot Spray Foam Insulation Kit

Price: \$700.00 Ea.

Tiger Foam™ Open Cell Spray Foam is a multiple purpose open cell, low density polyurethane spray foam that utilizes a non-flammable blowing agent and is excellent for sound deadening and reducing noise levels. Open Cell Spray Foam conforms to the requirements of ASTM E84 as a “Class 2” material, tested at 4” thickness. This kit comes complete with a 15 ft Gun/Hose Assembly, 10 Cone Nozzle Tips, and kit preparation instructions.

This kit has a theoretical yield of 1350 board feet (450 square feet at 3”) or 112.5 cu. ft. The shipping weight per kit is approx. 116lbs and each kit ships in two boxes. Please note that if you are ordering multiple kits the shipping address must be accessible by delivery truck.

Tiger Foam™ Spray Foam is a multiple purpose open cell, low density polyurethane spray foam that utilizes a non-flammable blowing agent. Tiger Foam™ Spray Foam is excellent for sound deadening and reducing noise levels.

The packaging, delivery system, and components were designed to be user- and environmentally friendly. These systems are both portable and disposable. They are completely self-contained to provide flexibility in end use performance.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ Fire Block Pro TFFB24 – Case of Twelve 24oz Cans



Price: \$69.49 Ea. & Free Shipping

Tiger Foam™ Fire Block is a ready to use, expanding polyurethane foam. Ideal for filling, insulating and sealing a buildings' gaps, cracks and openings, both interior and exterior. Tiger Foam™ Fire Block has been fire tested according to ASTM E814 (modified)/ NFPA 286 standards and meets the requirements for fire blocking penetrations around wires, pipes, ducts and other items in single family residential construction. This product creates a durable seal that stops air infiltration, provides high insulation value and saves both time and energy. It has excellent adhesion to most building surfaces, contains no CFC's, HFC's or HCFC's and best of all is easy to use.

Key features:

- Type V Residential Fire Block.
- Expands to completely fill of cracks and voids up to 3"
- Forms a permanent, airtight and water-resistant seal on nearly any surface
- For both interior & exterior use.
- Ready-to-use, disposable and recyclable.

Requires Dispensing Gun (Sold Separately, see pg. 12)

Each case includes either 12 24oz product cans or 11 product cans and one 12oz can of foam cleaner, whichever you prefer. Each can of product theoretically yields up to 441 linear feet using a 1/2" bead. Product shelf life: 18 Months. Please note that the shipping weight per case is approx. 22lbs and item cannot be shipped to PO boxes.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ Fire Block TFFB12 – Case of Twelve 12oz Cans



Price: \$47.95 Ea. & Free Shipping

Tiger Foam™ Fire Block is a ready to use, expanding polyurethane foam. Ideal for filling, insulating and sealing a buildings' gaps, cracks and openings, both interior and exterior. Tiger Foam™ Fire Block has been fire tested according to ASTM E814 (modified)/ NFPA 286 standards and meets the requirements for fire blocking penetrations around wires, pipes, ducts and other items in single family residential construction. This product creates a durable seal that stops air infiltration, provides high insulation value and saves both time and energy. It has excellent adhesion to most building surfaces, contains no CFC's, HFC's or HCFC's and best of all is easy to use.

Key features:

- Type V Residential Fire Block.
- Expands to completely fill of cracks and voids up to 3"
- Forms a permanent, airtight and water-resistant seal on nearly any surface
- For both interior & exterior use.
- Ready-to-use, disposable and recyclable.

Each case includes 12 12oz product cans Each can of product theoretically yields up to 220 linear feet using a 1/2 bead. Product shelf life: 18 Months. Please note that the shipping weight per case is approx. 13lbs and item cannot be shipped to PO boxes.



To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.



Tiger Foam™ Universal Foam Cleaner TFCL12 - Case of Twelve 12oz Cans



Price: \$65.49 Ea. & Free Shipping

Tiger Foam™ Universal Foam Cleaner is designed to clean, protect and extend the working life of foam applicators, can valves, and dispensing equipment. Our cleaner features an environmentally friendly formula and also designed to prepare surface applications, to enhance adhesion, dissolve wet polyurethane foams and polyurethane adhesives before they cure. Tiger Foam™ Universal Foam Cleaner does not contain formaldehydes or CFCs.

Key features:

- Superb for cleaning and dissolving uncured polyurethane foams, sealants and adhesives.
- Cleaning of dispensing equipment.
- De-greasing metal surfaces prior to the application of silicones or foams.

Applications:

- Dissolving uncured one-component polyurethane foams and adhesives.
- Excellent for surface preparation for enhanced adhesion.
- Essential for cleaning, maintenance and proper function of foam guns
- Prevents sealing of can valves between uses.

Each case includes 12 12oz product cans. Product shelf life: 36 Months. Please note that the shipping weight per case is approx. 13lbs and item cannot be shipped to PO boxes.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.

A

Tiger Foam™ Professional Dispensing Guns - For use with our TFFB24 24oz Fire Block foam

A. Tiger Foam™ Standard Grade Foam Dispensing Gun Price: \$14.99

Our Standard Dispensing Gun provides professional results at a budget friendly price. Features a flow control valve for precise adjustments to bead size and enables re-use of foam for up to 30 days. Includes two extension tips for hard to reach spots.

B

B. Tiger Foam™ Pro-Grade Foam Dispensing Gun Price: \$24.99

Our Pro-Grade Dispensing Gun provides professional results with steel mechanical components designed to last job after job. Features a flow control valve for precise adjustments to bead size and enables re-use of foam for up to 30 days. Includes a precision extension tip for tight spaces and hard to reach spots.

C

C. Tiger Foam™ Heavy Duty Foam Dispensing Gun Price: \$54.99

Our Heavy Duty Dispensing Gun provides professional results with anodized mechanical components built to last and designed to tackle your toughest jobs. Features a flow control valve for precise adjustments to bead size and enables re-use of foam for up to 30 days.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.

Insulated Light Covers

A

A. UL Fire Rated Light Covers

Price: \$54.95

Size - Internal Diameter 13" Internal Height 8"

The FF109-300 UL Fire Rated Recessed Light Cover is a dome-shaped, insulated cover which has been designed to help maintain the integrity of fire rated ceilings when penetrated by recessed fixtures.

Tenmat Fire Rated Light Covers are UL tested and approved for use with IC-rated recessed incandescent, fluorescent, LED light fixtures and even ultra-thin LED recessed modules. The high expansion and insulating properties of the cover ensures that both, flame spread and heat transmission, are stopped for 60 minutes.

B

B. Standard Recessed Light Covers

Regular size – Internal Diameter 14" Internal Height 9"

Price: \$16.99

Large size – Internal Diameter 16.5" Internal Height 10.75"

Price: \$20.99

Go Green with the TC130 Recessed Light Cover and start saving money on your energy bill. TENMAT covers are made out of a fire resistant mineral wool material that exhibits excellent thermal insulating properties, while allowing for enough space around the recessed light fixture. The TENMAT Recessed Light Cover has been specifically designed to significantly reduce thermal loss through the light fixture and airflow from the outside.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.

A

Application Accessories

A. Replacement Nozzle Tips**8-pack: \$16.50****50-pack: \$69.20**

Cone Nozzle Tips: Cone Spray nozzles spray a circular pattern that is smaller the closer you hold it to the surface. Primarily for Slow Rise Cavity Fill formula and fast rise applications requiring smaller, more directed spray patterns.

Fan Nozzle Tips: Fan Spray Pattern Nozzle tips are recommended for larger areas. These tips spray a 12" to 15" pattern when held 12" to 15" from the surface.

B**B. Gun and Hose Assemblies****9 Foot: \$69.00****15 Foot: \$99.00**

Each Tiger Foam™ Kit comes complete with gun and hose assembly. These are for the replacement of lost or damaged assemblies or simply to have spares on hand.

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.

Safety Accessories

A**A. Tyvek Suit with Hood****Prices: L+XL \$7.99 | XXL \$8.99 | XXXL \$9.99**

Great protection from our highly adhesive foam products, especially if spraying above your head, or if you are in a crawlspace. Sizes: Large: 5'6" – 5'11" 155 – 190lbs, X-Large: 5'8" to 6'1" 165 – 210lbs, XX-Large: 5'10" – 6'4" 175 – 250lbs

B**B. Maintenance Free, Single Use Respirators****Price: \$23.99**

OSHA approved, single use respirator available in sizes small, medium, and large.

C**C. Safety Goggles****Price: \$6.99**

Tiger Foam™ Goggles are recommended to protect your eyes and especially eye lashes from adhesive mist of over spray

To order please call 1-800-664-0063 or visit online at www.tigerfoam.com

Prices do not include shipping and applicable state or local taxes. Please visit our website for the latest pricing and product information as well as special promotions and offers. Respirator Masks with organic vapor filters and a pre-filter for particulates are required when applying spray foam insulation. PLEASE read our Operating Instructions & FAQ (available at www.tigerfoam.com) for additional, important usage info.

Visit us online at www.tigerfoam.com for the most up to date pricing and product inventory, instructional videos, how-to articles, and in depth safety and technical information on all of our insulation products.

© 2019 Commercial Thermal Solutions, Inc.

Commercial Thermal Solutions, Inc.
Foam Products Division
524 Brighton Ave. Suite 9
Spring Lake, NJ 07762

Toll Free Phone: 1-800-664-0063
International: +1 732-927-2090
Fax: +1 732-927-2091
Email: customerservice@tigerfoam.com
www.tigerfoam.com